



IFW

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Patent Application of

Atty. Ref.: PTB-4750-27

MADAUS et al.

TC/A.U.: 3743

Serial No. 10/531,476

Confirmation No.: 6503

Filed: April 15, 2005

Examiner: Unassigned

For: METHOD AND DEVICE FOR CARRYING OUT A SIGNAL-PROCESSING  
VIEWING OF A MEASUREMENT SIGNAL THAT IS CORRELATED TO THE  
RESPIRATORY ACTIVITY OF AN INDIVIDUAL

\* \* \* \* \*

June 18, 2007

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:


**STATUS INQUIRY**

A national phase application was filed on April 15, 2005. However, since then Applicants have not received any Official Action from the Patent Office regarding the application. Inquiry is made as to when an Action will be forthcoming.

Respectfully submitted,

**NIXON & VANDERHYTE P.C.**

By: \_\_\_\_\_

  
Paul T. Bowen  
Reg. No. 38,009

PTB:jck  
901 North Glebe Road, 11th Floor  
Arlington, VA 22203-1808  
Telephone: (703) 816-4000  
Facsimile: (703) 816-4100